

**PROCEEDINGS OF THE COMMISSIONER OF TECHNICAL EDUCATION
TELANGANA:: HYDERABAD**

**PRESENT: Smt A. VANI PRASAD, I.A.S.,
COMMISSIONER**

Procs.No. K3/1418/Civil/Minor Works /2014

Dated:29-07-2017

Sub: TECHNICAL EDUCATION – Govt. Polytechnic, Kataram –
3 phase power supply for conducting the practicals in Laboratories -
Administrative sanction – orders- Issued.

Read: Lr.No.B/Power supply/2017, dt. 11.07.2017 of the Principal, Govt.
Polytechnic, Kataram.

* * *

ORDER :-

The Principal, Govt. Polytechnic, Kataram in his letter vide reference read above, has submitted the College needs 3 Phase Supply for conducting the practical in Laboratories in Govt. Polytechnic, Kataram for an amount of Rs. 17.27 (Rupees Seventeen Lakhs Twenty seven thousand only).

2. After careful examination of the above proposal, Administrative Sanction is hereby accorded for the following works as shown below.

Sl. No	Name of the Polytechnic	Nature of Work Proposed	Amount Sanctioned (Rs. In Lakhs)
1	Govt. Polytechnic, Kataram	3 Phase Supply for conducting the practical in Laboratories	17.27

3. The above works are entrusted to TSEWIDC. Hence, the Managing Director, TSEWIDC, Hyderabad, is requested to take up the work to the extent of sanctioned amount immediately and start the work at the earliest. The Managing Director, TSEWIDC, shall ensure that no work is left incomplete. No further amount will be sanctioned.

4. The Executive Engineer, TSEWIDC, Karimnagar, the RJDTE, Hyderabad and the Principal, Government Polytechnic, Kataram shall monitor the progress of works from time to time and submit progress report. The work shall commence strictly as per the rules under financial code. Budget for the above work will be released under Head (2203-00-105-00-09-270-272).

Sd/-A. VANI PRASAD
COMMISSIONER

To
The Principal, Government Polytechnic, Kataram.
Copy to the M.D., TSEWIDC, Hyderabad
Copy to the E.E., TSEWIDC, Karimnagar.
Copy to the R.J.D (T.E), Hyderabad.
Copy to stock file / Spare copy.

md. Sadig nain
31/7/17
For COMMISSIONER
31/7/17