

**GOVERNMENT OF TELANGANA  
DEPARTMENT OF TECHNICAL EDUCATION**

**Lr.No.E3/570/2018**

**Dated:15-02-2018**

From  
Sri. NAVIN MITTAL, I.A.S.,  
Commissioner of Technical Education  
Government of Telangana,  
2<sup>nd</sup> Floor, Vidya Bhavan,  
Nampally, Hyderabad..

To  
The Chairman/ Member Secretary,  
AICTE, Chander Lok Building,  
Janpath, New Delhi.

Sir,

Sub: TECHNICAL EDUCATION -Government Polytechnics, i.e., Women Jogipet, Women Siddipet, Kosgi, Chegunta & GMRP, Utnoor - procurement of Lab equipment, Staff Issue Library Books & Journal's - information furnished - Reg.

Ref: AICTE/Adv-I/AB/MHRD/2017-18 Dated.06.02.2018 letter from the Advisor II (AB), AICTE, New Delhi.

\* \* \*

As per the circular No AICTE/Adv-I/AB/MHRD/2017-18 Dated.06.02.2018 letter from the Advisor II (AB), AICTE, New Delhi, the principals/OSDs of following Government Polytechnics are requesting to appear before the Standing Hearing Committee (SHC) on 16-02-2018 (Friday) at AICTE, New Delhi-110069.

Sl. No.	Application I.D.	Name of the Institution
1.	1-1599017631	GMRP, Utnoor, Adilabad Dist
2.	1-1574674941	GPW, Jogipet, Medak Dist
3.	1-1510759331	GPT, Kosgi, Mahabubnagar Dist.
4.	1-1578156211	GPT, Chegunta, Medak Dist.
5.	1-2068490281	GPW, Siddipet, Medak Dist.

In this regard it is informed that procurement lab equipment is under progress in Government Polytechnic for Women, Siddipet, and Government Model Residential Polytechnic Utnoor, the require equipment will be installed within 2 months.

The additional infrastructure like work shop, Cafeteria, wherever required will be provided and Budget of Rs.89.00 crores is proposed for the same during 2018-19.

In view of the above, the Chairman/Member Secretary, AICTE, New Delhi, is requested to accord Extension of Approval (EoA) for the academic year 2018-19 as the above (05) Government Polytechnics are located in educationally backward Districts of Telangana State.

Yours faithfully,  
Sd/- NAVIN MITTAL,  
COMMISSIONER

*Md. Saideq nain*  
For COMMISSIONER  
R<sub>2</sub>